

1/2 CHEV Diatom Medium

The medium is prepared on a tube by tube basis, using 15 mL glass tubes, stoppered with rubber-lined screw caps.

For routine maintenance and transfer, autoclave media for 15 minutes, since transfer material typically contains organics and/or bacteria needed for algal growth. In pasteurization, tubes are brought to just over 98 °C, and held at that temperature for 2 hours. They are then allowed to cool to room temperature for 20-24 hours. This process is repeated for three successive days. It is imperative that media (pasteurized or autoclaved) be allowed to gas-equilibrate for 2 days prior to use.

Directions

Add the components in the following order. Once soil and liquid are mixed, the media must be processed (pasteurized or autoclaved) within 6 hours.

| 44 | Component | Amount | Stock Solution | Final Concentration |
|----|--------------------------------|--------------|----------------|---------------------|
| # | Component | Amount | Concentration | Final Concentration |
| 1 | CR1 Soil | 1 cc | | |
| 2 | MgCO ₃ (MCIB CB486) | 0.5 mg/12 mL | | 0.5 mM |
| 3 | dH_2O | 11.5 mL | | |
| 4 | Pasteurized Seawater | 0.5 mL | | |